

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
1 of 8

## Central Processors NY

Contact Person: John Vavalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

## Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:



## Safety

|                    |                    |                              |
|--------------------|--------------------|------------------------------|
| Pass<br>Pesticides | Pass<br>Microbials | Pass<br>Mycotoxins           |
| Pass<br>Solvents   | Pass<br>Metals     | Not Tested<br>Foreign Matter |

## Cannabinoids

|                           |                 |                |
|---------------------------|-----------------|----------------|
| 4.76 mg/unit<br>Total THC | ND<br>Total CBD | NT<br>Moisture |
|---------------------------|-----------------|----------------|

| Analyte                   | LOQ  | Result      | Result      |
|---------------------------|------|-------------|-------------|
|                           | mg/g | mg/unit     | mg/g        |
| CBDVa                     | 0.20 | ND          | ND          |
| CBDV                      | 0.20 | ND          | ND          |
| CBDa                      | 0.20 | ND          | ND          |
| CBGa                      | 0.20 | ND          | ND          |
| CBG                       | 0.20 | <LOQ        | <LOQ        |
| CBD                       | 0.20 | ND          | ND          |
| THCV                      | 0.20 | ND          | ND          |
| THCVa                     | 0.20 | ND          | ND          |
| CBN                       | 0.20 | <LOQ        | <LOQ        |
| Δ9-THC                    | 0.20 | 4.76        | 1.06        |
| Δ8-THC                    | 0.20 | ND          | ND          |
| (6aR,9R)-d10-THC          | 0.20 | ND          | ND          |
| (6aR,9S)-d10-THC          | 0.20 | ND          | ND          |
| CBC                       | 0.20 | <LOQ        | <LOQ        |
| THCa                      | 0.20 | ND          | ND          |
| CBCa                      | 0.20 | ND          | ND          |
| <b>Total Cannabinoids</b> |      | <b>4.76</b> | <b>1.06</b> |

Entered By: VJ, Instrument ID: AL2-004  
Method: MTHD-001, Date Tested: 07/17/2024 8:14  
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*  
Anshu Shrestha  
Laboratory Director

*Violet Josik*  
Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
2 of 8

## Central Processors NY

Contact Person: John Valolo  
East Syracuse, NY 13057  
matthb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

## Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Residual Solvents

Pass

| Analyte             | LOQ   | Limit  | Result | Status |
|---------------------|-------|--------|--------|--------|
|                     | PPM   | PPM    | PPM    |        |
| 1,2-Dichloro-Ethane | 3.9   | 5.0    | ND     | Pass   |
| 2,2-Dimethyl-Butane | 31.3  |        | ND     | Tested |
| 2,3-Dimethyl-Butane | 31.3  |        | ND     | Tested |
| 2-Methyl-Pentane    | 31.3  |        | ND     | Tested |
| 3-Methyl-Pentane    | 31.3  |        | ND     | Tested |
| Acetone             | 156.3 | 5000.0 | ND     | Pass   |
| Acetonitrile        | 156.3 | 410.0  | ND     | Pass   |
| Benzene             | 1.6   | 2.0    | ND     | Pass   |
| Chloroform          | 1.6   | 60.0   | ND     | Pass   |
| Dichloromethane     | 156.3 | 600.0  | ND     | Pass   |
| Dimethyl Sulfoxide  | 156.3 | 5000.0 | ND     | Pass   |
| Ethanol             | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Acetate       | 156.3 | 5000.0 | ND     | Pass   |
| Ethyl-Ether         | 156.3 | 5000.0 | ND     | Pass   |
| Heptane             | 156.3 | 5000.0 | ND     | Pass   |
| Isobutane           | 78.1  |        | ND     | Tested |
| 2-Methyl-Butane     | 52.1  |        | ND     | Tested |
| Isopropanol         | 156.3 | 5000.0 | ND     | Pass   |
| m+p Xylene          | 78.1  | 2170.0 | ND     | Pass   |
| Methanol            | 156.3 | 3000.0 | ND     | Pass   |
| n-Butane            | 78.1  |        | ND     | Tested |
| Neopentane          | 52.1  |        | ND     | Tested |
| n-Hexane            | 31.3  |        | ND     | Tested |
| n-Pentane           | 52.1  |        | ND     | Tested |
| o-Xylene            | 39.1  |        | ND     | Tested |
| Propane             | 156.3 | 5000.0 | ND     | Pass   |
| Toluene             | 156.3 | 890.0  | ND     | Pass   |
| Trichloroethane     | 78.1  | 1500.0 | ND     | Pass   |
| Butanes             |       | 5000.0 | ND     | Pass   |
| Hexanes             |       | 290.0  | ND     | Pass   |
| Pentanes            |       | 5000.0 | ND     | Pass   |
| Xylenes             |       | 2170.0 | ND     | Pass   |

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-007, Date Tested: 07/17/2024 13:32  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported  
Limits for Butanes, Hexanes, Pentanes and Xylenes are to be calculated as a total, individual limits not listed.

## Microbials

Pass

| Analyte               | LOQ   | Limit  | Result  | Status |
|-----------------------|-------|--------|---------|--------|
|                       | CFU/g | CFU/g  | CFU/g   |        |
| Aspergillus flavus    | 1     | Absent | Absence | Pass   |
| Aspergillus fumigatus | 1     | Absent | Absence | Pass   |
| Aspergillus niger     | 1     | Absent | Absence | Pass   |
| Aspergillus terreus   | 1     | Absent | Absence | Pass   |
| Salmonella            | 1     | Absent | Absence | Pass   |
| Shiga Toxin E. Coli   | 1     | Absent | Absence | Pass   |
| Aerobic Bacteria      | 10    | 10000  | ND      | Pass   |
| Yeast & Mold          | 10    | 1000   | ND      | Pass   |

Entered By: MR, Aria Instrument ID: M-001; 3M Instrument ID: M-012  
Aerobic Date Tested: 07/17/2024 15:27  
YM Date Tested: 07/18/2024 07:51 Sal/STEC/Asp Date Tested: 07/17/2024 09:35  
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

## Heavy Metals

Pass

| Analyte  | LOQ    | Limit    | Result | Status |
|----------|--------|----------|--------|--------|
|          | PPM    | PPM      | PPM    |        |
| Chromium | 1.0000 | 110.0000 | <LOQ   | Pass   |
| Nickel   | 0.5000 | 20.0000  | <LOQ   | Pass   |
| Copper   | 1.0000 | 300.0000 | <LOQ   | Pass   |
| Arsenic  | 0.1000 | 1.5000   | ND     | Pass   |
| Cadmium  | 0.1000 | 0.5000   | ND     | Pass   |
| Antimony | 0.5000 | 120.0000 | ND     | Pass   |
| Mercury  | 0.0500 | 3.0000   | ND     | Pass   |
| Lead     | 0.2500 | 0.5000   | ND     | Pass   |

Entered By: MR, Instrument ID: AL2-001  
Method: MTHD-006 Date Tested: 07/17/2024 13:41  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.  
ND = Not Detected; NT = Not Tested; NR = Not Reported

## Mycotoxins

Pass

| Analyte          | LOQ   | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
|                  | µg/g  | µg/g  | µg/g   |        |
| Aflatoxin B1     | 0.010 | 0.020 | <LOQ   | Pass   |
| Aflatoxin B2     | 0.010 | 0.020 | ND     | Pass   |
| Aflatoxin G1     | 0.010 | 0.020 | ND     | Pass   |
| Aflatoxin G2     | 0.010 | 0.020 | <LOQ   | Pass   |
| Ochratoxin A     | 0.010 | 0.020 | ND     | Pass   |
| Total Aflatoxins |       | 0.020 | 0.014  | Pass   |

Entered By: MR, Instrument ID: AL1-003  
Method: MTHD-009 Date Tested: 15:57

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Laboratory Director

Violet Josik

Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Central Processors NY

Contact Person: John Vavalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

### Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Terpenes

## Complete

## Primary Aromas

| Analyte                | LOQ    | Result | Result |
|------------------------|--------|--------|--------|
|                        | %      | %      | mg/g   |
| Limonene               | 0.0065 | 0.01   | 0.11   |
| $\alpha$ -Bisabolol    | 0.0065 | ND     | ND     |
| $\alpha$ -Humulene     | 0.0065 | ND     | ND     |
| $\alpha$ -Phellandrene | 0.0052 | ND     | ND     |
| $\alpha$ -Pinene       | 0.0065 | ND     | ND     |
| $\alpha$ -Terpinene    | 0.0065 | ND     | ND     |
| $\beta$ -Caryophyllene | 0.0065 | ND     | ND     |
| $\beta$ -Myrcene       | 0.0065 | ND     | ND     |
| $\beta$ -Pinene        | 0.0065 | ND     | ND     |
| Camphene               | 0.0065 | ND     | ND     |
| Caryophyllene Oxide    | 0.0065 | ND     | ND     |
| Farnesene              | 0.0021 | ND     | ND     |
| Fenchol                | 0.0104 | ND     | ND     |
| Geraniol               | 0.0065 | ND     | ND     |
| Guaiol                 | 0.0065 | ND     | ND     |
| Linalool               | 0.0065 | ND     | ND     |
| Ocimene                | 0.0065 | ND     | ND     |
| Terpineol              | 0.0052 | ND     | ND     |
| Terpinolene            | 0.0065 | ND     | ND     |
| Valencene              | 0.0021 | ND     | ND     |



Orange

0.0112%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001  
Method: MTHD-005, Date Tested: 07/18/2024 10:32

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha  
Laboratory Director

Violet Josik

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
4 of 8

## Central Processors NY

Contact Person: John Valalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

### Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte              | LOQ  | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
|                      | PPM  | PPM   | PPM    |        |
| Abamectin            | 0.10 | 0.50  | ND     | Pass   |
| Acephate             | 0.10 | 0.40  | ND     | Pass   |
| Acequinocyl          | 0.10 | 2.00  | ND     | Pass   |
| Acetamiprid          | 0.10 | 0.20  | ND     | Pass   |
| Aldicarb             | 0.10 | 0.40  | ND     | Pass   |
| Avermectin-B1a       |      |       | 0.03   | Tested |
| Avermectin-B1b       |      |       | ND     | Tested |
| Azadirachtin         | 0.50 | 1.00  | <LOQ   | Pass   |
| Azoxystrobin         | 0.10 | 0.20  | ND     | Pass   |
| Bifenazate           | 0.10 | 0.20  | ND     | Pass   |
| Bifenthrin           | 0.10 | 0.20  | ND     | Pass   |
| Boscalid             | 0.10 | 0.40  | ND     | Pass   |
| Captan               | 0.50 | 1.00  | ND     | Pass   |
| Carbaryl             | 0.10 | 0.20  | ND     | Pass   |
| Carbofuran           | 0.10 | 0.20  | ND     | Pass   |
| Chlorantraniliprole  | 0.10 | 0.20  | <LOQ   | Pass   |
| Chlordane            | 0.50 | 1.00  | ND     | Pass   |
| Chlorfenapyr         | 0.50 | 1.00  | ND     | Pass   |
| Chlormequat chloride | 0.10 | 1.00  | ND     | Pass   |
| Chlorpyrifos         | 0.10 | 0.20  | ND     | Pass   |
| Cinerin 1            |      |       | 0.00   | Tested |
| Clofentezine         | 0.10 | 0.20  | <LOQ   | Pass   |
| Coumaphos            | 0.10 | 1.00  | ND     | Pass   |
| Cyfluthrin           | 0.10 | 1.00  | ND     | Pass   |
| Cypermethrin         | 0.10 | 1.00  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 19:58

LC Method: MTHD-009 LC Date Tested: 15:57

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
http://www.drstesting.com  
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha  
Laboratory Director

Violet Josik

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.

# Certificate of Analysis

## Central Processors NY

Contact Person: John Valalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

## Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte            | LOQ  | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
|                    | PPM  | PPM   | PPM    |        |
| Daminozide         | 0.10 | 1.00  | <LOQ   | Pass   |
| Diazinon           | 0.10 | 0.20  | ND     | Pass   |
| Dichlorvos         | 0.10 | 1.00  | ND     | Pass   |
| Dimethoate         | 0.10 | 0.20  | ND     | Pass   |
| Dimethomorph       | 0.10 | 1.00  | <LOQ   | Pass   |
| Ethoprophos        | 0.10 | 0.20  | ND     | Pass   |
| Etofenprox         | 0.10 | 0.40  | ND     | Pass   |
| Etoxazole          | 0.10 | 0.20  | ND     | Pass   |
| Fenhexamid         | 0.10 | 1.00  | <LOQ   | Pass   |
| Fenoxycarb         | 0.10 | 0.20  | ND     | Pass   |
| Fenpyroximate      | 0.10 | 0.40  | ND     | Pass   |
| Fipronil           | 0.10 | 0.40  | ND     | Pass   |
| Flonicamid         | 0.10 | 1.00  | ND     | Pass   |
| Fludioxonil        | 0.10 | 0.40  | ND     | Pass   |
| Hexythiazox        | 0.10 | 1.00  | ND     | Pass   |
| Imazalil           | 0.10 | 0.20  | ND     | Pass   |
| Imidacloprid       | 0.10 | 0.40  | <LOQ   | Pass   |
| Indolebutyric Acid | 0.50 | 1.00  | ND     | Pass   |
| Jasmolin 1         |      |       | ND     | Tested |
| Kresoxim Methyl    | 0.10 | 0.40  | ND     | Pass   |
| Malathion          | 0.10 | 0.20  | ND     | Pass   |
| Metalaxyl          | 0.10 | 0.20  | ND     | Pass   |
| Methiocarb         | 0.10 | 0.20  | ND     | Pass   |
| Methomyl           | 0.10 | 0.40  | ND     | Pass   |
| Methyl Parathion   | 0.10 | 0.20  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 19:58

LC Method: MTHD-009 LC Date Tested: 15:57

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

## Central Processors NY

Contact Person: John Vavalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

## Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte                 | LOQ  | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
|                         | PPM  | PPM   | PPM    |        |
| Mevinphos               | 0.10 | 1.00  | ND     | Pass   |
| MGK-264                 | 0.10 | 0.20  | ND     | Pass   |
| Myclobutanil            | 0.10 | 0.20  | ND     | Pass   |
| Naled                   | 0.10 | 0.50  | ND     | Pass   |
| Oxamyl                  | 0.10 | 1.00  | ND     | Pass   |
| Paclobutrazol           | 0.10 | 0.40  | <LOQ   | Pass   |
| Pentachloronitrobenzene | 0.50 | 1.00  | ND     | Pass   |
| Permethrins             | 0.10 | 0.20  | ND     | Pass   |
| Phosmet                 | 0.10 | 0.20  | ND     | Pass   |
| Piperonyl Butoxide      | 0.10 | 2.00  | ND     | Pass   |
| Prallethrin             | 0.10 | 0.20  | ND     | Pass   |
| Propiconazole           | 0.10 | 0.40  | <LOQ   | Pass   |
| Propoxur                | 0.10 | 0.20  | ND     | Pass   |
| Pyrethrin 1             |      |       | 0.02   | Tested |
| Pyrethrin 2             |      |       | 0.02   | Tested |
| Pyrethrins              | 0.03 | 1.00  | 0.05   | Pass   |
| Pyridaben               | 0.10 | 0.20  | <LOQ   | Pass   |
| Spinetoram              | 0.10 | 1.00  | ND     | Pass   |
| Spinetoram J            |      |       | 0.02   | Tested |
| Spinetoram L            |      |       | 0.00   | Tested |
| Spinosad                | 0.10 | 0.20  | ND     | Pass   |
| Spinosyn A              |      |       | 0.02   | Tested |
| Spinosyn D              |      |       | 0.00   | Tested |
| Spiromesifen            | 0.10 | 0.20  | <LOQ   | Pass   |
| Spirotetramat           | 0.10 | 0.20  | <LOQ   | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 19:58

LC Method: MTHD-009 LC Date Tested: 15:57

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
7 of 8

## Central Processors NY

Contact Person: John Vavalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

### Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

## Pesticides

Pass

| Analyte         | LOQ  | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
|                 | PPM  | PPM   | PPM    |        |
| Spiroxamine     | 0.10 | 0.20  | ND     | Pass   |
| Tebuconazole    | 0.10 | 0.40  | ND     | Pass   |
| Thiacloprid     | 0.10 | 0.20  | ND     | Pass   |
| Thiamethoxam    | 0.10 | 0.20  | ND     | Pass   |
| Trifloxystrobin | 0.10 | 0.20  | ND     | Pass   |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 19:58

LC Method: MTHD-009 LC Date Tested: 15:57

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



*Anshu Shrestha*

Anshu Shrestha  
Laboratory Director

*Violet Josik*

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



# Certificate of Analysis

Type of Use: Adult Use  
Powered by Confident LIMS  
8 of 8

## Central Processors NY

Contact Person: John Vavalo  
East Syracuse, NY 13057  
mattb@centralprocessorsny.com  
(315) 937-5718  
Lic. #OCM-AUCP-22-000018

Sample: 2407RLI0143-0514

Strain: Blood Orange  
Batch#: BOG-0004; Batch Size: 4925 units  
Sample Received: 07/15/2024; Report Created: 07/26/2024;

Blood Orange Gummies  
Ingestible, Soft Chew

### Sampling

Sample Collection Date/Time: 07/12/24 13:15  
Sample Collection Site: Central Processors NY  
Sampling Firm: DRS Testing  
Sampling Method: MTHD-014  
Sampling Notes/Deviations:

Moisture Date/Time Tested: ;  
Moisture Method:

Water Activity Date/Time Tested: 07/16/2024; 10:22  
Water Activity Method: MTHD-002

0.63 aw  
Limit: 0.85 aw  
**Pass**  
Water Activity

NT  
Limit: %  
Not Tested  
Moisture

### Foreign Matter

Foreign Matter Method:  
Foreign Matter Date/Time Tested: ;

Not Tested

| Analyte | Limit | Result | Status |
|---------|-------|--------|--------|
|         | %     |        |        |
|         | %     |        |        |
|         | %     |        |        |

DRS Testing  
28 Best Street  
Buffalo, NY  
(716) 503-8147  
<http://www.drstesting.com>  
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha  
Laboratory Director

Violet Josik

Violet Josik  
Quality Assurance Lead



Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.