

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	3/27/2025	Sample ID:	20250321-CPNY-004
Client Name:	Central Processors NY, LLC	Sample Name:	Generic AF Sparkling Wine
Sampling Location:	Syracuse, New York	Sample Matrix:	Edible
Contact Name:	Matthew Barry, PhD	Sample Sub Type:	Gel-Based
Contact Email:	Mattb@centralprocessorsny.com	Package ID:	
License Number:	OCM-PROC-24-000061	Batch Lot ID:	SWG-0003
Medical/Adult Use:	Adult Use	Batch Size:	8138
Sampling Date:	03/21/2025 12:00:00 PM	Serving Size (g):	4.7

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	-	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Generic AF Sparkling Wine (20250321-CPNY-004)

Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.005
CBDA	< MRL	< MRL	0.005
CBGA	< MRL	< MRL	0.005
CBG	< MRL	< MRL	0.005
CBD	0.007	0.329	0.005
THCV	< MRL	< MRL	0.005
CBN	< MRL	< MRL	0.005
D9-THC	0.097	4.559	0.005
D8-THC	< MRL	< MRL	0.005
D10-THC-S	< MRL	< MRL	0.005
D10-THC-R	< MRL	< MRL	0.005
CBC	< MRL	< MRL	0.005
THCA	< MRL	< MRL	0.005

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #100793 | Date Tested: 03/24/2025 02:15 PM

Potency Summary	% w/w	mg/serving
Total THC [Δ^8 -THC + Δ^9 -THC + Δ^{10} -THC + (THCA * 0.877)]	0.097	4.559
Total CBD [CBD + (CBDA * 0.877)]	0.007	0.329
Total Cannabinoids	0.104	4.888



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Generic AF Sparkling Wine (20250321-CPNY-004)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.05
Camphene	< MRL	0.05
Sabinene	< MRL	0.05
beta-Pinene	< MRL	0.05
beta-Myrcene	< MRL	0.05
Alpha-phellandrene	< MRL	0.05
Carene	< MRL	0.05
alpha-terpinene	< MRL	0.05
p-Cymene	< MRL	0.05
Limonene	< MRL	0.05
Eucalyptol	< MRL	0.05
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.05
Sabinene Hydrate	< MRL	0.05
Terpinolene	< MRL	0.05
Linalool	< MRL	0.05
Fenchol	< MRL	0.05
Menthol	< MRL	0.05
Terpineol	< MRL	0.05
Citronellol	< MRL	0.05
Isopulegol	< MRL	0.05
Geraniol	< MRL	0.05
Alpha-cedrene	< MRL	0.04
Beta-Caryophyllene	< MRL	0.05
Farnesene	< MRL	0.05
alpha-Humulene	< MRL	0.05
Valencene	< MRL	0.05
cis-Nerolidol	< MRL	0.02
trans-Nerolidol	< MRL	0.03
Caryophyllene oxide	< MRL	0.05
Guaiol	< MRL	0.05
alpha-Bisabolol	< MRL	0.05

MRL = Minimum reporting limit/limit of quantification

Test ID: #100798 | Date Tested: 03/25/2025 09:17 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	< MRL	10	PASS



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: Generic AF Sparkling Wine (20250321-CPNY-004)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	0.228
2-Propanol	PASS	< MRL	5000	34.142
Acetone	PASS	< MRL	5000	6.828
Acetonitrile	PASS	< MRL	410	2.800
Butanes, total	PASS	< MRL	5000	34.142
Benzene	PASS	< MRL	2	0.046
Chloroform	PASS	< MRL	60	0.410
Dichloromethane	PASS	< MRL	600	4.097
Dimethyl Sulfoxide	PASS	< MRL	5000	61.455
Ethanol	PASS	< MRL	5000	34.142
Ethyl acetate	PASS	< MRL	5000	34.142
Ethyl ether	PASS	< MRL	5000	34.142
n-Heptane	PASS	< MRL	5000	34.142
Hexanes, total	PASS	< MRL	290	1.980
Methanol	PASS	< MRL	3000	20.485
Pentanes, total	PASS	< MRL	5000	34.142
Propane	PASS	< MRL	5000	34.142
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	127.212
Toluene	PASS	< MRL	890	6.077
Trichloroethane	PASS	< MRL	1500	61.455
Xylenes, total	PASS	< MRL	2170	14.818

MRL = Minimum reporting limit/limit of quantification

Test ID: #100796 | Date Tested: 03/26/2025 07:06 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Generic AF Sparkling Wine (20250321-CPNY-004)				PASS
Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #100797 | Date Tested: 03/27/2025 09:57 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Generic AF Sparkling Wine (20250321-CPNY-004)				PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Ochratoxin	PASS	< MRL	0.02	0.010
Total Aflatoxins	PASS	< MRL	0.02	0.010
MRL = Minimum reporting limit/limit of quantification			Test ID: #100794 Date Tested: 03/27/2025 10:08 AM	

Heavy Metals: Generic AF Sparkling Wine (20250321-CPNY-004)				PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Chromium	PASS	< MRL	1100.0	8.00
Nickel	PASS	< MRL	20.0	1.00
Copper	PASS	< MRL	300.0	8.00
Arsenic	PASS	< MRL	1.5	0.10
Cadmium	PASS	< MRL	0.5	0.10
Antimony	PASS	< MRL	120.0	1.00
Mercury	PASS	< MRL	3.0	0.05
Lead	PASS	< MRL	0.5	0.20
MRL = Minimum reporting limit/limit of quantification			Test ID: #100795 Date Tested: 03/25/2025 06:03 AM	

Microbiological Screen: Generic AF Sparkling Wine (20250321-CPNY-004)				PASS
Microbial analysis utilizing quantitative Polymerase Chain Reaction and microbial enumeration (qPCR; SOP-700-NY, SOP-701-NY)				
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)
Total Aerobic Bacteria	PASS	< MRL	10000	10
Total Yeast & Mold	PASS	< MRL	1000	10
Salmonella spp	PASS	Absent	Absent	1
Shiga toxin-producing E. coli	PASS	Absent	Absent	1
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1
MRL = Minimum reporting limit/limit of quantification			Test ID: #100799 Date Tested: 03/26/2025 09:29 AM	

Water Activity: Generic AF Sparkling Wine (20250321-CPNY-004)				PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a _w)	Limit (a _w)	
Water Activity	PASS	0.56	0.85	
MRL = Minimum reporting limit/limit of quantification			Test ID: #100800 Date Tested: 03/25/2025 05:07 AM	



Matthew Elmes
Lab Director
3/27/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.