



Certificate of Analysis

Amended Report
Amended Notes: Lot Updated
Type of Use: Adult Use
Powered by Confident LIMS
1 of 3

Central Processors NY

Contact Person: Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2411RLI0360-1231

Strain: Indica

Batch#: PR-GFI-0001; Batch Size: 3200 units

Sample Received: 11/06/2024; Report Created: 11/13/2024;

Generic AF Pre-roll 5 pk (Indica)
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/05/24 12:50
Sample Collection Site: Central Processors
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:



Safety

Not Tested

Pesticides

Pass

Microbials

Not Tested

Mycotoxins

Not Tested

Solvents

Pass

Metals

Pass

Foreign Matter

Cannabinoids

NT

Total THC

NT

Total CBD

9.8%

Moisture

Analyte

LOQ

Result

Result

Entered By: , Instrument ID:
Method: , Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Amended Report
Amended Notes: Lot Updated
Type of Use: Adult Use
Powered by Confident LIMS
2 of 3

Central Processors NY

Contact Person: Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2411RLI0360-1231

Strain: Indica

Batch#: PR-GFI-0001; Batch Size: 3200 units

Sample Received: 11/06/2024; Report Created: 11/13/2024;

Generic AF Pre-roll 5 pk (Indica)
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/05/24 12:50
Sample Collection Site: Central Processors
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 95000 | Tested |
| Yeast & Mold | 10 | N/A | 10000 | Tested |

Entered By: MN, Aria Instrument ID: M-001; 3M Instrument ID: M-012
Aerobic Date Tested: 11/07/2024 15:44
YM Date Tested: 11/08/2024 11:15 Sal/STEC/Asp Date Tested: 11/07/2024 10:50
Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold (MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | <LOQ | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 7.0705 | Pass |
| Arsenic | 0.1000 | 0.2000 | <LOQ | Pass |
| Cadmium | 0.1000 | 0.2000 | ND | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | <LOQ | Pass |

Entered By: AS, Instrument ID: AL2-001
Method: MTHD-006 Date Tested: 11/08/2024 11:10
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Entered By: , Instrument ID:
Method: , Date Tested:

Entered By: , Instrument ID:
Method: Date Tested:

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha
Anshu Shrestha
Laboratory Director

Violet Josik
Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Amended Report
Amended Notes: Lot Updated
Type of Use: Adult Use
Powered by Confident LIMS
3 of 3

Central Processors NY

Contact Person: Matthew Barry
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2411RLI0360-1231

Strain: Indica

Batch#: PR-GFI-0001; Batch Size: 3200 units

Sample Received: 11/06/2024; Report Created: 11/13/2024;

Generic AF Pre-roll 5 pk (Indica)
Plant, Preroll

Sampling

Sample Collection Date/Time: 11/05/24 12:50
Sample Collection Site: Central Processors
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 11/07/2024; 10:50
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 11/06/2024; 13:28
Water Activity Method: MTHD-002

0.54 aw

Limit: 0.65 aw

Pass

Water Activity

9.8%

Limit: 15.0 %

Pass

Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
Foreign Matter Date/Time Tested: 11/07/2024; 12:21

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha
Laboratory Director

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
1 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica

Batch#: GFI-0002; Batch Size: 22000 g

Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Safety

Pass

Pesticides

Pass

Microbials

Pass

Mycotoxins

Not Tested

Solvents

Pass

Metals

Pass

Foreign Matter

Cannabinoids

21.04%

Total THC

ND

Total CBD

10.4%

Moisture

| Analyte | LOQ | Result | Result |
|--------------------|------|--------|--------|
| | mg/g | % | mg/g |
| CBDVa | 0.2 | ND | ND |
| CBDV | 0.2 | ND | ND |
| CBDa | 0.2 | ND | ND |
| CBGa | 0.2 | 0.62 | 6.2 |
| CBG | 0.2 | ND | ND |
| CBD | 0.2 | ND | ND |
| THCV | 0.2 | ND | ND |
| THCVa | 0.2 | ND | ND |
| CBN | 0.2 | ND | ND |
| Δ9-THC | 0.2 | 0.62 | 6.2 |
| Δ8-THC | 0.2 | ND | ND |
| (6aR,9R)-d10-THC | 0.2 | ND | ND |
| (6aR,9S)-d10-THC | 0.2 | ND | ND |
| CBC | 0.2 | ND | ND |
| THCa | 0.2 | 23.28 | 232.8 |
| CBCa | 0.2 | ND | ND |
| Total Cannabinoids | | 24.52 | 245.23 |

Entered By: VJ, Instrument ID: AL2-004
Method: MTHD-001, Date Tested: 09/24/2024 11:52
Total theoretical THC % = (delta-9- THC%) + (THCa% x 0.877) + (delta-8- THC%) + (delta-10- THC%)DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011

Anshu Shrestha

Laboratory Director

Violet Josik

Quality Assurance Lead

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
2 of 8

Central Processors NY

Contact Person: John Valalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica

Batch#: GFI-0002; Batch Size: 22000 g

Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Residual Solvents

Not Tested

| Analyte | LOQ | Limit | Result | Status |
|---------|-----|-------|--------|--------|
|---------|-----|-------|--------|--------|

Microbials

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------------|-------|--------|---------|--------|
| | CFU/g | CFU/g | CFU/g | |
| Aspergillus flavus | 1 | Absent | Absence | Pass |
| Aspergillus fumigatus | 1 | Absent | Absence | Pass |
| Aspergillus niger | 1 | Absent | Absence | Pass |
| Aspergillus terreus | 1 | Absent | Absence | Pass |
| Salmonella | 1 | Absent | Absence | Pass |
| Shiga Toxin E. Coli | 1 | Absent | Absence | Pass |
| Aerobic Bacteria | 10 | N/A | 32000 | Tested |
| Yeast & Mold | 10 | N/A | 20000 | Tested |

Entered By: MN, Aria Instrument ID: M-001; 3M Instrument ID: M-012

Aerobic Date Tested: 09/24/2024 15:47

YM Date Tested: 09/25/2024 09:03 Sal/STEC/Asp Date Tested: 09/22/2024 09:56

Methods: Aspergillus (MTHD-010), Salmonella/STEC (MTHD-011), Total Yeast & Mold

(MTHD-012), Total Aerobic (MTHD-013)

Heavy Metals

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------|--------|-----------|--------|--------|
| | PPM | PPM | PPM | |
| Chromium | 1.0000 | 1100.0000 | ND | Pass |
| Nickel | 0.5000 | 5.0000 | <LOQ | Pass |
| Copper | 1.0000 | 30.0000 | 6.6499 | Pass |
| Arsenic | 0.1000 | 0.2000 | ND | Pass |
| Cadmium | 0.1000 | 0.2000 | <LOQ | Pass |
| Antimony | 0.5000 | 2.0000 | ND | Pass |
| Mercury | 0.0500 | 0.1000 | ND | Pass |
| Lead | 0.2500 | 0.5000 | ND | Pass |

Entered By: AS, Instrument ID: AL2-001

Method: MTHD-006 Date Tested: 09/23/2024 10:36:16

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Mycotoxins

Pass

| Analyte | LOQ | Limit | Result | Status |
|------------------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | |
| Aflatoxin B1 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.010 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.010 | 0.020 | ND | Pass |
| Ochratoxin A | 0.010 | 0.020 | ND | Pass |
| Total Aflatoxins | | 0.020 | ND | Pass |

Entered By: AS, Instrument ID: AL1-003

Method: MTHD-009 Date Tested: 09/23/2024 17:33

Entered By: , Instrument ID:
Method: , Date Tested:DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011

Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance LeadConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
3 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica

Batch#: GFI-0002; Batch Size: 22000 g

Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Terpenes

Complete

Primary Aromas

| Analyte | LOQ | Result | Result | |
|------------------------|--------|--------|--------|-------------|
| | % | % | mg/g | |
| β -Myrcene | 0.0065 | 0.20 | 1.97 | <div></div> |
| β -Caryophyllene | 0.0065 | 0.18 | 1.80 | <div></div> |
| Linalool | 0.0065 | 0.12 | 1.23 | <div></div> |
| α -Pinene | 0.0065 | 0.10 | 1.03 | <div></div> |
| Limonene | 0.0065 | 0.09 | 0.86 | <div></div> |
| β -Pinene | 0.0065 | 0.06 | 0.55 | <div></div> |
| α -Humulene | 0.0065 | 0.05 | 0.50 | <div></div> |
| α -Bisabolol | 0.0065 | 0.04 | 0.36 | <div></div> |
| Caryophyllene Oxide | 0.0065 | 0.03 | 0.31 | <div></div> |
| Valencene | 0.0021 | 0.03 | 0.29 | <div></div> |
| Farnesene | 0.0021 | 0.01 | 0.07 | <div></div> |
| α -Phellandrene | 0.0052 | ND | ND | |
| α -Terpinene | 0.0065 | ND | ND | |
| Camphene | 0.0065 | ND | ND | |
| Fenchol | 0.0104 | <LOQ | <LOQ | |
| Geraniol | 0.0065 | ND | ND | |
| Guaiol | 0.0065 | <LOQ | <LOQ | |
| Ocimene | 0.0065 | ND | ND | |
| Terpineol | 0.0052 | ND | ND | |
| Terpinolene | 0.0065 | ND | ND | |



Hops



Cinnamon



Lavender



Pine



Orange

0.8970%

Total Terpenes

Entered By: CB, Instrument ID: AL1-001
Method: MTHD-005, Date Tested: 09/23/2024 18:14DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011

Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance LeadConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
4 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica
Batch#: GFI-0002; Batch Size: 22000 g
Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|----------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Abamectin | 0.10 | 0.50 | ND | Pass |
| Acephate | 0.10 | 0.40 | ND | Pass |
| Acequinocyl | 0.10 | 2.00 | ND | Pass |
| Acetamiprid | 0.10 | 0.20 | ND | Pass |
| Aldicarb | 0.10 | 0.40 | ND | Pass |
| Avermectin-B1a | | | ND | Tested |
| Avermectin-B1b | | | ND | Tested |
| Azadirachtin | 0.50 | 1.00 | ND | Pass |
| Azoxystrobin | 0.10 | 0.20 | ND | Pass |
| Bifenazate | 0.10 | 0.20 | ND | Pass |
| Bifenthrin | 0.10 | 0.20 | ND | Pass |
| Boscalid | 0.10 | 0.40 | ND | Pass |
| Captan | 0.50 | 1.00 | ND | Pass |
| Carbaryl | 0.10 | 0.20 | ND | Pass |
| Carbofuran | 0.10 | 0.20 | ND | Pass |
| Chlorantraniliprole | 0.10 | 0.20 | ND | Pass |
| Chlordane | 0.50 | 1.00 | ND | Pass |
| Chlorfenapyr | 0.50 | 1.00 | ND | Pass |
| Chlormequat chloride | 0.10 | 1.00 | ND | Pass |
| Chlorpyrifos | 0.10 | 0.20 | ND | Pass |
| Cinerin 1 | | | ND | Tested |
| Clofentezine | 0.10 | 0.20 | ND | Pass |
| Coumaphos | 0.10 | 1.00 | ND | Pass |
| Cyfluthrin | 0.10 | 1.00 | ND | Pass |
| Cypermethrin | 0.10 | 1.00 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/22/2024 17:38

LC Method: MTHD-009 LC Date Tested: 09/23/2024 17:33

LOQ = Limit of Quantitation, Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
5 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica
Batch#: GFI-0002; Batch Size: 22000 g
Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|--------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Daminozide | 0.10 | 1.00 | ND | Pass |
| Diazinon | 0.10 | 0.20 | ND | Pass |
| Dichlorvos | 0.10 | 1.00 | ND | Pass |
| Dimethoate | 0.10 | 0.20 | ND | Pass |
| Dimethomorph | 0.10 | 1.00 | ND | Pass |
| Ethoprophos | 0.10 | 0.20 | ND | Pass |
| Etofenprox | 0.10 | 0.40 | ND | Pass |
| Etoxazole | 0.10 | 0.20 | ND | Pass |
| Fenhexamid | 0.10 | 1.00 | ND | Pass |
| Fenoxycarb | 0.10 | 0.20 | ND | Pass |
| Fenpyroximate | 0.10 | 0.40 | ND | Pass |
| Fipronil | 0.10 | 0.40 | ND | Pass |
| Flonicamid | 0.10 | 1.00 | ND | Pass |
| Fludioxonil | 0.10 | 0.40 | ND | Pass |
| Hexythiazox | 0.10 | 1.00 | ND | Pass |
| Imazalil | 0.10 | 0.20 | ND | Pass |
| Imidacloprid | 0.10 | 0.40 | ND | Pass |
| Indolebutyric Acid | 0.50 | 1.00 | ND | Pass |
| Jasmolin 1 | | | 0.01 | Tested |
| Kresoxim Methyl | 0.10 | 0.40 | ND | Pass |
| Malathion | 0.10 | 0.20 | ND | Pass |
| Metalaxyl | 0.10 | 0.20 | ND | Pass |
| Methiocarb | 0.10 | 0.20 | ND | Pass |
| Methomyl | 0.10 | 0.40 | ND | Pass |
| Methyl Parathion | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/22/2024 17:38

LC Method: MTHD-009 LC Date Tested: 09/23/2024 17:33

LOQ = Limit of Quantitation, Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
6 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica
Batch#: GFI-0002; Batch Size: 22000 g
Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-------------------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Mevinphos | 0.10 | 1.00 | ND | Pass |
| MGK-264 | 0.10 | 0.20 | ND | Pass |
| Myclobutanil | 0.10 | 0.20 | ND | Pass |
| Naled | 0.10 | 0.50 | ND | Pass |
| Oxamyl | 0.10 | 1.00 | ND | Pass |
| Paclobutrazol | 0.10 | 0.40 | ND | Pass |
| Pentachloronitrobenzene | 0.50 | 1.00 | ND | Pass |
| Permethrins | 0.10 | 0.20 | ND | Pass |
| Phosmet | 0.10 | 0.20 | ND | Pass |
| Piperonyl Butoxide | 0.10 | 2.00 | ND | Pass |
| Prallethrin | 0.10 | 0.20 | ND | Pass |
| Propiconazole | 0.10 | 0.40 | ND | Pass |
| Propoxur | 0.10 | 0.20 | ND | Pass |
| Pyrethrin 1 | | | ND | Tested |
| Pyrethrin 2 | | | ND | Tested |
| Pyrethrins | 0.03 | 1.00 | <LOQ | Pass |
| Pyridaben | 0.10 | 0.20 | ND | Pass |
| Spinetoram | 0.10 | 1.00 | ND | Pass |
| Spinetoram J | | | ND | Tested |
| Spinetoram L | | | ND | Tested |
| Spinosad | 0.10 | 0.20 | ND | Pass |
| Spinosyn A | | | ND | Tested |
| Spinosyn D | | | ND | Tested |
| Spiromesifen | 0.10 | 0.20 | ND | Pass |
| Spirotetramat | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/22/2024 17:38

LC Method: MTHD-009 LC Date Tested: 09/23/2024 17:33

LOQ = Limit of Quantitation, Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011



Anshu Shrestha

Anshu Shrestha
Laboratory Director

Violet Josik

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
7 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica

Batch#: GFI-0002; Batch Size: 22000 g

Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Pesticides

Pass

| Analyte | LOQ | Limit | Result | Status |
|-----------------|------|-------|--------|--------|
| | PPM | PPM | PPM | |
| Spiroxamine | 0.10 | 0.20 | ND | Pass |
| Tebuconazole | 0.10 | 0.40 | ND | Pass |
| Thiacloprid | 0.10 | 0.20 | ND | Pass |
| Thiamethoxam | 0.10 | 0.20 | ND | Pass |
| Trifloxystrobin | 0.10 | 0.20 | ND | Pass |

Entered By: AS, GC Instrument ID: AL1-002; LC Instrument ID: AL1-003

GC Method: MTHD-008 GC Date Tested: 09/22/2024 17:38

LC Method: MTHD-009 LC Date Tested: 09/23/2024 17:33

LOQ = Limit of Quantitation, Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
<http://www.drstesting.com>
Lic# OCM-CPL-2022-00011Anshu Shrestha
Laboratory DirectorViolet Josik
Quality Assurance LeadConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.



Certificate of Analysis

Type of Use: Adult Use
Powered by Confident LIMS
8 of 8

Central Processors NY

Contact Person: John Vavalo
East Syracuse, NY 13057
mattb@centralprocessorsny.com
(315) 937-5718
Lic. #OCM-PROC-24-000061

Sample: 2409RLI0248-0846

Strain: Indica
Batch#: GFI-0002; Batch Size: 22000 g
Sample Received: 09/17/2024; Report Created: 09/30/2024;

Generic Flower Indica
Plant, Flower - Cured

Sampling

Sample Collection Date/Time: 09/17/24 13:20
Sample Collection Site: Central Processors NY
Sampling Firm: DRS Testing
Sampling Method: MTHD-014
Sampling Notes/Deviations:

Moisture Date/Time Tested: 09/19/2024; 13:54
Moisture Method: MTHD-003

Water Activity Date/Time Tested: 09/23/2024; 0.559
Water Activity Method: MTHD-002

0.56 aw
Limit: 0.65 aw
Pass
Water Activity

10.4%
Limit: 15.0 %
Pass
Moisture

Foreign Matter

Foreign Matter Method: MTHD-004
Foreign Matter Date/Time Tested: 09/19/2024; 14:05

Pass

| Analyte | Limit | Result | Status |
|------------------|----------|--------|--------|
| Mammal Excrement | 0.00022% | 0 | Pass |
| FM Stems | 5% | 0 | Pass |
| FM Other | 2% | 0 | Pass |

DRS Testing
28 Best Street
Buffalo, NY
(716) 503-8147
http://www.drstesting.com
Lic# OCM-CPL-2022-00011



Anshu Shrestha
Laboratory Director

Violet Josik
Quality Assurance Lead



Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ND=Not Detected, NR=Not Reported, LOD=Limit of Detection, LOQ=Limit of Quantitation. This product has been tested by DRS Testing, using valid testing methodologies and a quality system as required by New York state law. Values reported relate only to the product tested and batched under the batch number identified above. DRS Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This Certificate must not be altered, and shall not be reproduced except in full, without the written approval of DRS Testing. Measurements of uncertainty available on request. Statement of conformity pursuant to NYS Part 130 Title 9. Results relate only to the items sampled and tested upon receipt.